











B&G

PRICE LIST







SAILING ELECTRONICS


















Zeus³ GH








Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15129-001	 B&G Zeus ³ S Glass Helm 16" System Pack. Includes Zeus ³ S 16" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	30443.26	37445.21
000-15130-001	 B&G Zeus ³ S Glass Helm 19" System Pack. Includes Zeus ³ S 19" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	35416.32	43562.07
000-15131-001	 B&G Zeus ³ S Glass Helm 24" System Pack. Includes Zeus ³ S 24" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	48798.18	60021.76
000-15048-001	 B&G Zeus ³ S GH 16" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	27905.67	34323.97
000-15050-001	 B&G Zeus ³ S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	33028.00	40624.44
000-15052-001	 B&G Zeus ³ S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	46111.32	56716.92
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2024.00	2489.52
000-12513-001	 B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	2254.00	2772.42










Accessories




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-11674-001	 Zestaw przetwornika ForwardScan™ z tuleją i korkiem	3537.40	4351.00
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1536.40	1889.77
000-14380-001	 The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	4301.00	5290.23

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2700.20	3321.25
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	9430.00	11598.90
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-11542-001	 Ten mocny 5-calowy, czytelny w słońcu, kolorowy wyświetlacz z bezpośrednim interfejsem użytkownika wyposażony jest w unikalne funkcje żeglarskie, włączając SailSteer i Start Line. Wykonany jest z klejonego szkła, dla uniknięcia kondensacji i zwiększenia kontrastu.	4922.00	6054.06
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00
000-14488-001	 Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	236.85	291.33
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38






Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15050-001	 B&G Zeus³S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	33028.00	40624.44
000-15052-001	 B&G Zeus³S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	46111.32	56716.92
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS²³, ZEUS²³ Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2024.00	2489.52
000-14357-001	 B&G Suncover for 16" Monitor	426.42	524.50
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79
000-14358-001	 B&G Suncover for 19" Monitor	497.49	611.91
000-14359-001	 B&G Suncover for 24" Monitor	615.94	757.61
000-11618-001	 MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	289.80	356.45
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1007.40	1239.10











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12743-001	 OP50 / ZC2 Suncover	64.40	79.21
000-12744-001	 OP50 / ZC2 Dash Mounting Kit	64.40	79.21
000-11614-001	 MO, NSO evo3 16/19/24 Cable retention bracket	126.65	155.78


















Zeus^{2/3} GH MPU













Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15125-001	 Zeus ³ S MPU 1 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more. Includes MPU, ZC2 Remote, MI10 Card Reader & ZG100 GPS Antenna.	35748.65	43970.84
000-11736-001	 ZM16-T. 15,6" wysokiej jasności, panoramiczny monitor z wielodotykiem. Wysoka rozdzielczość 1366x768. Jasność 1000 nitów. Wejścia: HDMI, DVI, Kompozytowe (x2). Podłączenie N2K dla kontroli podświetlenia B&G. Bez kabla wideo i kabla sterowania dotykowego.	17762.76	21848.20
000-11737-001	 ZM19-T. 19" wysokiej jasności, panoramiczny monitor z wielodotykiem. Wysoka rozdzielczość 1366x768. Jasność 1000 nitów. Wejścia: HDMI, DVI, Kompozytowe (x2). Podłączenie N2K dla kontroli podświetlenia B&G. Bez kabla wideo i kabla sterowania dotykowego.	26054.26	32046.74
000-15046-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	23386.74	28765.69
000-15104-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	24457.05	30082.17





Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11674-001	 Zestaw przetwornika ForwardScan™ z tuleją i korkiem	3537.40	4351.00
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1536.40	1889.77
000-14380-001	 The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	4301.00	5290.23
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	9430.00	11598.90
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2700.20	3321.25
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	4964.17	6105.93
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-11736-001	 ZM16-T. 15,6" wysokiej jasności, panoramiczny monitor z wielodotykiem. Wysoka rozdzielczość 1366x768. Jasność 1000 nitów. Wejścia: HDMI, DVI, Kompozytowe (x2). Podłączenie N2K dla kontroli podświetlenia B&G. Bez kabla wideo i kabla sterowania dotykowego.	17762.76	21848.20
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-11737-001	 ZM19-T. 19" wysokiej jasności, panoramiczny monitor z wielodotykiem. Wysoka rozdzielczość 1366x768. Jasność 1000 nitów. Wejścia: HDMI, DVI, Kompozytowe (x2). Podłączenie N2K dla kontroli podświetlenia B&G. Bez kabla wideo i kabla sterowania dotykowego.	26054.26	32046.74
000-11542-001	 Ten mocny 5-calowy, czytelny w słońcu, kolorowy wyświetlacz z bezpośrednim interfejsem użytkownika wyposażony jest w unikalne funkcje żeglarskie, włączając SailSteer i Start Line. Wykonany jest z klejonego szkła, dla uniknięcia kondensacji i zwiększenia kontrastu.	4922.00	6054.06
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79
000-11248-001	 NSO evo2 – Kabel wideo HDMI monitora 3 m (9,8 stopy)	110.35	135.74
000-11249-001	 NSO evo2 – Kabel wideo HDMI monitora 10 m (33 stopy)	258.01	317.36
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00
000-14488-001	 Missing Image Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	236.85	291.33
000-11247-001	 NSO evo2 NMEA0183/Touch – 8-żyłowy kabel szeregowy monitora 2 m (6,5 stopy). Cztery żyły dla NMEA0183 i cztery dla szeregowego RS232.	96.60	118.82
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1007.40	1239.10
000-11142-001	 Moduł SonarHub, z kablem zasilającym i kablem Ethernet 4,5m (15 stóp)	2980.80	3666.38
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38







Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79
000-14357-001	 B&G Suncover for 16" Monitor	426.42	524.50
000-14358-001	 B&G Suncover for 19" Monitor	497.49	611.91
000-11618-001	 MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	289.80	356.45










Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11247-001		NSO evo2 NMEA0183/Touch – 8-żyłowy kabel szeregowy monitora 2 m (6,5 stopy). Cztery żyły dla NMEA0183 i cztery dla szeregowego RS232.	96.60	118.82
000-13892-001		MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1007.40	1239.10
000-00128-001		Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32
000-11614-001		MO, NSO evo3 16/19/24 Cable retention bracket	126.65	155.78


















Zeus³/³S











Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13245-001	 B&G Zeus ³ -7 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 7-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. Includes World basemap chart.	7452.00	9165.96
000-15411-001	 B&G Zeus ³ S-9 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 9-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. world base map charts.	11495.40	14139.34
000-15412-002	 B&G Zeus ³ S-12 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 12-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World basemap charts	17935.40	22060.54
000-15413-001	 B&G Zeus ³ S-16 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 16-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World base map.	27968.00	34400.64
000-15563-001	 B&G Zeus ³ S-9 and Halo20+ Radar kit. The B&G Zeus ³ S-9 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 9-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. world base map charts.	20323.26	24997.61
000-15564-002	 B&G Zeus ³ S-12 and Halo20+ Radar kit. The B&G Zeus ³ S-12 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 12-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World basemap charts	26119.26	32126.69







Accessories














Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-11674-001	 Zestaw przetwornika ForwardScan TM z tuleją i korkiem	3537.40	4351.00
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-14380-001	 The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	4301.00	5290.23
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1536.40	1889.77
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-14471-001	 B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	2479.40	3049.66
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2700.20	3321.25

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	9430.00	11598.90
000-14474-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	4825.40	5935.24
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-14819-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	5285.40	6501.04
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1715.80	2110.43
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-11542-001	 Ten mocny 5-calowy, czytelny w słońcu, kolorowy wyświetlacz z bezpośrednim interfejsem użytkownika wyposażony jest w unikalne funkcje żeglarskie, włączając SailSteer i Start Line. Wykonany jest z klejonego szkła, dla uniknięcia kondensacji i zwiększenia kontrastu.	4922.00	6054.06
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	128.80	158.42
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	248.40	305.53
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	400.20	492.25
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13744-001	 B&G Zeus ³ 7" Sun cover	119.60	147.11
000-13745-001	 B&G Zeus ³ /S 9" Sun cover	133.40	164.08
000-13746-001	 B&G Zeus ³ /S 12" Sun cover	147.20	181.06
000-13747-001	 B&G Zeus ³ /S 16" Sun cover	161.00	198.03
000-13748-001	 NSSevo3 & ZEUS ³ Chart Card Door	64.40	79.21
000-13749-001	 NSSevo3 & ZEUS ³ 7" Edge Bezels	73.60	90.53













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13750-001	 NSSevo3/3S & ZEUS ³ / ³ S 9" Edge Bezels	82.80	101.84
000-13751-001	 NSSevo3/3S & ZEUS ³ / ³ S 12" Edge Bezels	92.00	113.16
000-13752-001	 NSSevo3/3S & ZEUS ³ / ³ S 16" Edge Bezels	115.00	141.45
000-13753-001	 NSSevo3 & ZEUS ³ 7" Dash Mount Kit	92.00	113.16
000-13754-001	 NSSevo3/3S & ZEUS ³ / ³ S 9" Dash Mount Kit	105.80	130.13
000-13755-001	 NSSevo3/3S & ZEUS ³ / ³ S 12" Dash Mount Kit	124.20	152.77
000-13756-001	 NSSevo3/3S & ZEUS ³ / ³ S 16" Dash Mount Kit	165.60	203.69
000-13758-001	 NSSevo3/3S & ZEUS ³ / ³ S 9" Mounting Bracket (Plastic)	165.60	203.69
000-13759-001	 NSSevo3/3S & ZEUS ³ / ³ S 12" Mounting Bracket	303.60	373.43
000-14317-001	 Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	101.20	124.48
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	151.80	186.71
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32
000-10467-001	 Pokrętła zawieszenia kardanowego dla Lowrance HDS Gen2T/Elite7, Simrad NSS/NSS evo2, B&G Zeus2	69.00	84.87
















Vulcan

Main Products









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14082-001	 B&G Vulcan 7R 7-inch chartplotter and radar display with global basemap	2898.00	3564.54
000-13214-001	 B&G Vulcan 9 FS: 9" Multifunction display. Super high-bright multi touch screen with built in NMEA 2000, GPS, Wi-Fi and ForwardScan (optional transducer required). Integrates to 3G/4G or Halo20/20+ radars. No transducer included. Global basemap chart	4140.00	5092.20
000-15620-001	 B&G Vulcan9 FS and Halo20 radar bundle. Global base map chart	13027.20	16023.46

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11674-001	 Zestaw przetwornika ForwardScan™ z tuleją i korkiem	3537.40	4351.00
000-11518-001	 Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	501.40	616.72
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	4964.17	6105.93
000-13296-001	 Triton² Pilot Controller. This intuitive keypad can be combined with a B&G Triton² Display to create a fully-featured autopilot controller.	1587.00	1952.01
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-11520-001	 Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	547.40	673.30




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11738-001	 DT800, plastik, kabel 3m (9,6 stopy), brak szybkozłącza Element z zerowym przechyłem jest przeciwstawiony do przechylnego o 12,5 stopnia. Dostarczany z plastikową obudową 51 mm, z kołnierzem, sondujący przez kadłub. Czujnik wykorzystuje standardowe PGNy i dostarczany jest ze złączami MicroC pozwalając na szybkie podłączenie do magistrali NMEA2000.	1605.40	1974.64
000-11521-001	 Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	500.94	616.16
000-11852-001	 AIRMAR IDST800L 235F B-122-RETR 6M	3030.94	3728.06
22098586	 ST800 – pasywny plastikowy czujnik S/T TH z 1 m (7 stóp) elastycznym kablem (dodaj prędkość do D800 (22098560)).	538.20	661.99
000-12374-001	 Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	101.20	124.48
000-12373-001	 Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	50.60	62.24
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2024.00	2489.52
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-12513-001	 B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	2254.00	2772.42
000-12366-001	 FLUSH MOUNT KIT, GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	140.72	173.08
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	1978.00	2432.94
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	220.80	271.58
000-12370-001	SUNCOVER, VULCAN 7 FLUSH MOUNT	104.24	128.21

Spare Parts













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13172-001	 Vulcan-5 Suncover	68.95	84.81
000-13171-001	 GO5 & Vulcan-5 Power & N2K Cable	174.80	215.00
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	124.15	152.71
000-13170-001	 Edge Bezel for P2005, I3005, GO5 & Vulcan-5	50.60	62.24
000-13169-001	 Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	64.40	79.21
000-13700-001	 Replacement bezel for Simrad GO9 or B&G Vulcan9.	82.80	101.84
000-14148-001	 U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	151.80	186.71
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32

















Zeus S




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15217-001	 B&G Zeus S 7 Chartplotter GLOBAL. 7-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, 1 kW echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	3864.00	4752.72
000-15221-001	 B&G Zeus S 9 Chartplotter GLOBAL. 9-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, 1 kW echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	6578.00	8090.94
000-15225-001	 B&G Zeus S 12 Chartplotter GLOBAL. 12-inch SolarMAX™ high definition display. Built-in GPS, and WIFI, 1 kW echosounder. Unique Sailing Modes and enhanced sailing features. A next-generation C-MAP® DISCOVER™ X or REVEAL X™ chart card is required.	11592.00	14258.16









Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	9195.40	11310.34
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1536.40	1889.77
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-14471-001	 B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	2479.40	3049.66
000-13294-001	 Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2700.20	3321.25
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-14474-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	4825.40	5935.24
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	9430.00	11598.90

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15612-001	 B&G Nemesis™ 12" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	13795.40	16968.34
000-15876-001	 The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.	2571.40	3162.82
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15683-001	 B&G Nemesis™ Hub allows compact and straightforward connection of up to 3 Nemesis™ displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	1725.00	2121.75
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14819-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	5285.40	6501.04
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1715.80	2110.43
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15822-001	 Corner bezel clips for NSX range of displays. Set of four corner clips	114.95	141.39
000-12372-001	 Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	133.40	164.08
000-15819-001	 B&G Zeus S 7 Suncover	137.95	169.68
000-15820-001	 B&G Zeus S 9 Suncover	137.95	169.68
000-15821-001	 B&G Zeus S 12 Suncover	160.95	197.97
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3., and B&G Vulcan9, Zeus3 7 (Plastic)	151.80	186.71
000-14148-001	 U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	151.80	186.71
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32

Nemesis


Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	9195.40	11310.34
000-15612-001	 B&G Nemesis™ 12" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	13795.40	16968.34
000-15683-001	 B&G Nemesis™ Hub allows compact and straightforward connection of up to 3 Nemesis™ displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	1725.00	2121.75

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-15683-001	 B&G Nemesis™ Hub allows compact and straightforward connection of up to 3 Nemesis™ displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	1725.00	2121.75
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	1288.00	1584.24
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	1495.00	1838.85
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26
000-15739-001	 NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	156.40	192.37
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	317.40	390.40


Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15822-001	 Corner bezel clips for NSX range of displays. Set of four corner clips	114.95	141.39















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15868-001	 B&G Nemesis™ 9 Spare Suncover	145.36	178.79
000-15869-001	 B&G Nemesis™ 12 Spare Suncover	158.70	195.20

Triton™ Edge

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58

Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	9195.40	11310.34
000-13294-001	 Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-15612-001	 B&G Nemesis™ 12" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	13795.40	16968.34
000-0119-79	 N2K-T-RD – Trójnik Micro-C dla podłączenia dodatkowego urządzenia sieciowego	101.20	124.48
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	248.40	305.53
000-0119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85
000-0119-83	 N2KEXT-25RD – Kabel NMEA2000® 7,6 m (25 stóp) tylko dla przedłużenia magistrali	363.40	446.98
000-0127-51	 Żółty kabel Ethernet, 5-szpilkowy, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilkowy, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilkowy, 15,2 m (50 stóp)	501.40	616.72
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79

Triton²



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2369.00	2913.87
000-14955-002	 Triton ² Speed / Depth / Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature sensor, WS310 Wired Wind Sensor and a NMEA 2000® starter kit.	6486.00	7977.78
000-14956-002	 Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	6895.40	8481.34
000-14957-002	 Dual Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes 2x Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	9328.80	11474.42
000-13298-002	 Triton ² Speed / Depth instrument pack. Pack includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer and a NMEA2000 starter kit.	4632.20	5697.61

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1587.00	1952.01
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4319.40	5312.86
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	7585.40	9330.04
000-10614-001	 N2K, kabel IS40, Micro-C, podłączenie pod kątem prostym, 0,4 m (1,3 stopy)	110.40	135.79

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13722-001	 Suncover for B&G Triton² Display	69.00	84.87
000-13950-001	 IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	64.40	79.21

Hercules

Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15135-001	 B&G Hercules Sailing Processor	12742.00	15672.66
000-15137-001	 HERCULES EXPANSION MODULE	7337.00	9024.51

Accessories









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15137-001	 HERCULES EXPANSION MODULE	7337.00	9024.51




H5000

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11542-001	 Ten mocny 5-calowy, czytelny w słońcu, kolorowy wyświetlacz z bezpośrednim interfejsem użytkownika wyposażony jest w unikalne funkcje żeglarskie, włączając SailSteer i Start Line. Wykonany jest z klejonego szkła, dla uniknięcia kondensacji i zwiększenia kontrastu.	4922.00	6054.06
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	3933.00	4837.59
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	3933.00	4837.59
000-11551-001	 H5000 3D Motion Sensor Enables Motion Correction for Wind data on H5000 Hercules/Performance systems	4508.00	5544.84
000-11553-001	 H5000 Audible Alarm Module provides a configurable audible alarm connected anywhere on the network.	943.00	1159.89
000-13323-001	 The H5000 Fastnet Interface provides a B&G supported solution for customers wishing to progressively upgrade H3000 systems and/or replace displays on an H3000 system with the latest H5000 Graphic displays.	897.00	1103.31

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	9195.40	11310.34
000-11552-001	 H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.	1393.80	1714.37
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	3933.00	4837.59
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	3933.00	4837.59



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11760-001	 Missing Image H5000 CPU KOD ODBLOKOWANIA HYDRA DO PERFORMANCE	10948.00	13466.04
000-11759-001	 Missing Image H5000 CPU KOD ODBLOKOWANIA HERCULES DO PERFORMANCE	6946.00	8543.58
000-11758-001	 Missing Image H5000 CPU KOD ODBLOKOWANIA HYDRA DO HERCULES	4002.00	4922.46

Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12892-001	SUN COVER,H5000 DISPLAYS	92.00	113.16
000-11542-001	 Ten mocny 5-calowy, czytelny w słońcu, kolorowy wyświetlacz z bezpośrednim interfejsem użytkownika wyposażony jest w unikalne funkcje żeglarskie, włączając SailSteer i Start Line. Wykonany jest z klejonego szkła, dla uniknięcia kondensacji i zwiększenia kontrastu.	4922.00	6054.06
000-15545-001	 Missing Image Gasket for H5000 Graphic/Race Displays 5-pack	69.00	84.87
000-12614-001	H5000 Displays - Edge Cover Set	36.80	45.26
000-12899-001	USB PORT COVER,H5000 GRAPHIC DISPLAY	46.00	56.58
000-12897-001	GROMMET PACK,H5000 MODULES	75.81	93.24
000-12896-001	GROMMET PACK,H5000 CPU	75.81	93.24
000-12898-001	CONN PACK,H5000 EXPANSION MODULES	108.97	134.04
000-12894-001	CONN PACK,H5000 CPU	299.00	367.77

WTP3






Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15136-001	Hercules® WTP Sailing Processor.	34408.00	42321.84
		4922.00	6054.06
000-10316-001	 WTP3 – Interfejs analogowy Zawarte elementy: 1 WTP3 – Interfejs analogowy 1 kabel sieci CAN 1 trójnik sieci CAN		
		4922.00	6054.06
000-10308-001	 WTP3 – Interfejs szeregowy Zawarte elementy: 1 WTP3 – Interfejs szeregowy 1 kabel sieci CAN 1 trójnik sieci CAN		

Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15137-001	 HERCULES EXPANSION MODULE	7337.00	9024.51
000-10396-001	 Kabel, Micro-C, metal, 0,4 m	135.51	166.67
BGH182002	 Czujnik 3D Rate żyro	12190.00	14993.70

Spare Parts








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
288-00-001	 Skrzynka przyłączeniowa 7 zaciskowa	193.20	237.64
000-10403-001	 Trójnik metalowy Micro-C	166.78	205.14
BGH214015	 H3000 – Oslona przeciwsłoneczna (GFD, GPD, 20/20HV)	115.00	141.45
000-10311-001	 WTP3 FastNet Cable - 2m (6.6ft)	530.66	652.71
000-10404-001	 Złącze Micro-C	125.08	153.85

HVision











Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11087-001	 10/10HV – Zestaw wyświetlacza dla systemów H5000 i Triton. Seria HVision zrewolucjonizowała konstrukcję wyświetlaczy przyrządów, prezentując najwyraźniej informacje, dzięki technice jednolitych wyświetlaczy. Urządzeniom 10/10HV towarzyszą 20/20HV, 30/30HV i 40/40HV, aby zaoferować wysokiej jakości wyświetlacze danych dla każdego zastosowania. 10/10HV – Wyświetlacz Dostarcza liczby, tam gdzie są potrzebne. Idealny wyświetlacz dla miejsc skupienia, takich jak podstawy i stanowiska trzymowania. Wspaniale pasuje poniżej wyświetlacza analogowego.	2757.52	3391.74
000-11088-001	 20/20HV – Zestaw wyświetlacza dla systemów H5000 i Triton. Seria HVision zrewolucjonizowała konstrukcję wyświetlaczy przyrządów, prezentując najwyraźniej informacje, dzięki technice jednolitych wyświetlaczy. Urządzeniom 20/20HV towarzyszą 10/10HV, 30/30HV i 40/40HV, aby zaoferować wysokiej jakości wyświetlacze danych dla każdego zastosowania. 20/20HV – Wyświetlacz Monitor repetycyjny dla masztu i kokpitu. Idealny dla jachtów z zakresu 30 do 60 stóp.	3942.02	4848.68
000-11089-001	 30/30HV display for H5000 or Triton systems.	7817.70	9615.77
000-11090-001	 40/40HV display for H5000 or Triton systems.	14166.62	17424.94

Accessories












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15134-001	 Triton™ Edge Sailing Processor with NMEA 2000®, Ethernet and built-in Wi-Fi.	6946.00	8543.58
BGH220013	 20/20HV – Wspornik masztowy – 3 kierunkowy	1012.00	1244.76
BGH220014	 20/20HV – Wspornik masztowy – 4 kierunkowy	1426.00	1753.98
BGH220015	 20/20HV – Wspornik masztowy – 5 kierunkowy	1738.80	2138.72
BGH291017	 20/20HV – Maskownica (biała)	280.60	345.14
BGH291018	 20/20HV – Maskownica (czerwona)	280.60	345.14
BGH291019	 20/20HV – Maskownica (zielona)	280.60	345.14

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15546-001	 Missing Image Gasket for 20/20 HV Display 5-pack	78.20	96.19
000-15547-001	 Missing Image Gasket for 30/30 HV Display 5-pack	220.80	271.58
000-15548-001	 Missing Image Gasket for 40/40 HV Display 5-pack	395.60	486.59
BGH281011	 Missing Image 40/40HV – Maskownica (czarna)	303.60	373.43
BGH284014	 Missing Image 40/40HV – Osłona przeciwsłoneczna	170.20	209.35
BGH241011	 Missing Image 30/30HV – Maskownica (czarna)	276.00	339.48
BGH244014	 Missing Image 30/30HV – Osłona przeciwsłoneczna	165.60	203.69
BGH291011	 Missing Image 20/20HV – Maskownica (czarna)	207.00	254.61
BGH324014	 Missing Image 10/10HV – Osłona przeciwsłoneczna	92.00	113.16
BGH214015	 H3000 – Osłona przeciwsłoneczna (GFD, GPD, 20/20HV)	115.00	141.45


Analogowe

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11714-001	 H5000 ANALOGOWY AWA 360	3174.00	3904.02
000-11715-001	 H5000 ANALOGOWY WYSWIETLACZ TWA 360	3174.00	3904.02
000-11716-001	 H5000 ANALOGOWY AWS 0-50KT	3174.00	3904.02
000-11717-001	 H5000 ANALOGUE TWS 0-50KT	3174.00	3904.02
000-11718-001	 H5000 ANALOGUE MAG AWA	3174.00	3904.02
000-11719-001	 H5000 ANALOGOWY WYSWIETLACZ PRĘDKOŚCI ŁODZI 12,5KT	3174.00	3904.02
000-11721-001	 H5000 ANALOGOWY WYSWIETLACZ PRĘDKOŚCI ŁODZI 25KT	3174.00	3904.02
000-11720-001	 H5000 ANALOGOWY WYŚWIETLACZ GŁĘBOKOŚCI 200M	3174.00	3904.02
000-11724-001	 H5000 ANALOGOWY WSKAŹNIK GŁĘBOKOŚCI STOPY/SAŻNIE	3174.00	3904.02
000-11722-001	 H5000 ANALOGOWY WSKAŹNIK KIERUNKU	3174.00	3904.02
000-11723-001	 H5000 ANALOGOWY WSKAŹNIK KĄTA STERU	3174.00	3904.02

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00
BGH301035	 B&G kabel SimNet 0,35m (RA-RA)	165.60	203.69


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH234017	 H3000 – Osłona przeciwsłoneczna (wskaźnik analogowy)	82.80	101.84

Spare Parts







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH301035	 B&G kabel SimNet 0,35m (RA-RA)	165.60	203.69
BGH231021	 Missing Image H3000 – Maskownica wskaźnika analogowego (czarna)	128.80	158.42
BGH234017	 H3000 – Osłona przeciwsłoneczna (wskaźnik analogowy)	82.80	101.84

Sensor packs

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6564.20	8073.97

Spare Parts








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11048-002	 The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	1283.40	1578.58
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1789.40	2200.96
000-10760-001	 Zestaw startowy NMEA 2000 Micro-C: Zawiera kabel zasilający sieć, kabel N2K 4,5 m (15 stóp), 3 x trójnik, 2 x terminatory sieci.	414.00	509.22
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85

700 Series Wind







Main Products











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14384-001	 WS710 (0.8m) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box.	10534.00	12956.82
000-14385-001	 WS720 (1050mm) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box	12696.00	15616.08
000-14386-001	 WS730 (1450mm) Vertical Wind Sensor Pack. Comes with 35m mast cable and junction box.	14858.00	18275.34
000-14392-001	 WS710 Vertical Wind Sensor Only (0.8m)	9844.00	12108.12
000-14393-001	 WS720 Vertical Wind Sensor Only (1050mm)	11983.00	14739.09
000-14983-001	 WS720S Ocean Spec Vertical Wind Sensor Only (1050mm)	13179.00	16210.17
000-14394-001	 WS730 Vertical Wind Sensor Only (1450mm)	14168.00	17426.64
000-14984-001	 WS730S Ocean Spec Vertical Wind Sensor Only (1450mm)	15548.00	19124.04
000-14395-001	 WS740S Ocean Spec Vertical Wind Sensor Only (1800mm)	18124.00	22292.52

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	391.00	480.93
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	588.80	724.22
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2416.38	2972.15
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3743.02	4603.91
000-15090-001	 WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	575.00	707.25
BGH030008	 VMHU Top Mount Bracket	910.80	1120.28
BGH030009	 VMHU Face Mount Bracket	851.00	1046.73












Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	220.80	271.58
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	78.20	96.19
000-14392-001	 WS710 Vertical Wind Sensor Only (0.8m)	9844.00	12108.12
000-14393-001	 WS720 Vertical Wind Sensor Only (1050mm)	11983.00	14739.09
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	381.80	469.61
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	391.00	480.93





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	588.80	724.22
000-14394-001	 WS730 Vertical Wind Sensor Only (1450mm)	14168.00	17426.64
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	142.60	175.40
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2416.38	2972.15
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3743.02	4603.91
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1370.80	1686.08
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	423.20	520.54
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	92.00	113.16
BGH030008	 VMHU Top Mount Bracket	910.80	1120.28
BGH030009	 VMHU Face Mount Bracket	851.00	1046.73




Wiatr

Main Products
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2525.40	3106.24
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2700.20	3321.25
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3031.40	3728.62
000-14391-001	 WS310 Wired Wind Sensor only.	2088.40	2568.73
000-14390-001	 WS320 Wireless Wind Sensor only.	2479.40	3049.66
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	391.00	480.93
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	588.80	724.22
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2416.38	2972.15
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3743.02	4603.91
000-15090-001	 WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	575.00	707.25
000-14389-001	 WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	455.40	560.14

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	391.00	480.93
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	588.80	724.22
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2416.38	2972.15
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3743.02	4603.91

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15090-001	 WS700 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	575.00	707.25
000-14389-001	 WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	455.40	560.14
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	837.20	1029.76






Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	220.80	271.58
000-15615-001	Replacement PCB for the WS320 wind sensor.	1370.80	1686.08
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	78.20	96.19
000-14391-001	 WS310 Wired Wind Sensor only.	2088.40	2568.73
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	391.00	480.93
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	381.80	469.61
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	142.60	175.40
000-15141-001	 Replacement battery for WS320 wireless wind sensor.	101.20	124.48
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1370.80	1686.08
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	423.20	520.54
000-14389-001	 WS310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	455.40	560.14
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	92.00	113.16
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	837.20	1029.76
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	874.00	1075.02
000-10573-001	 IS20 – Wspornik masztowy wiatrowskazu	303.23	372.98
213-10-004	 MHU – Łożysko skośne	381.80	469.61



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
213-10-056	 Missing Image MHU – Wiatrowskaz	193.20	237.64

Prędkość/Głębokość

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1789.40	2200.96
000-15736-001	 DST-810 Depth/Speed/Temp Sensor. Bronze thru-hull housing	2295.40	2823.34
000-11738-001	 DT800, plastik, kabel 3m (9,6 stopy), brak szybkozłącza Element z zerowym przechyłem jest przeciwstawiony do przechylnego o 12,5 stopnia. Dostarczany z plastikową obudową 51 mm, z kołnierzem, sondujący przez kadłub. Czujnik wykorzystuje standardowe PGNy i dostarczany jest ze złączami MicroC pozwalając na szybkie podłączenie do magistrali NMEA2000.	1605.40	1974.64
000-11852-001	 AIRMAR IDST800L 235F B-122-RETR 6M	3030.94	3728.06
22098586	 ST800 – pasywny plastikowy czujnik S/T TH z 1 m (7 stóp) elastycznym kablem (dodaj prędkość do D800 (22098560)).	538.20	661.99

Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10567-001	 P617V DST HSG VLV KIT	248.40	305.53
000-10568-001	 Zespół wtyczki akcesoriów dla DST800	110.40	135.79
000-10388-001	Paddlewheel spares kit for DST800	161.00	198.03

Kierunek




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20

Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-45	 Zestaw adaptera SimNet do N2K – Łączy urządzenie SimNet stałym kablem SimNet do sieci NMEA 2000®; zawiera męski adapter SimNet do N2K, szeregowy łącznik Simnet, trójnik NMEA2000®.	545.15	670.54
000-10640-001	 HS70 – Kabel zasilający/NMEA0183, 15m	1596.20	1963.33
000-10641-001	 HS70 – Kabel programujący	1904.40	2342.41
000-10937-001	 HS70 – Adapter Serial do N2K	657.80	809.09

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH063001	 HGSC – Kabel	1002.80	1233.44
000-10641-001	 HS70 – Kabel programujący	1904.40	2342.41
000-10937-001	 HS70 – Adapter Serial do N2K	657.80	809.09

Srodowisko


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16154-001	 Airmar® 110WX WeatherStation® Sensor Only	4089.40	5029.96
000-11552-001	 H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.	1393.80	1714.37
000-11520-001	 Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	547.40	673.30
000-11521-001	 Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	500.94	616.16

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11740-001	 Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	276.00	339.48

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11740-001	 Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	276.00	339.48

GPS

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11048-002	 The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	1283.40	1578.58
000-11571-002	 The ZG100 Antenna provides high accuracy position at a 10Hz update rate. Built in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. - Boatbuilder 6-pack.	1283.40	1578.58

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11148-001	 Pole Mount for GS25 / ZG100 / POINT-1	138.00	169.74

Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11148-001	 Pole Mount for GS25 / ZG100 / POINT-1	138.00	169.74

Inne

Main Products








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15940-001	 NMEA 2000® Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000® network.	768.20	944.89
000-11518-001	 Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	501.40	616.72

Accessories








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	248.40	305.53
000-0119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85

Wiatr









Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH031001	 Vertical Masthead Unit 810mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	9844.00	12108.12
BGH031002	 Vertical Masthead Unit 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	11983.00	14739.09
BGH031002/S	 Vertical Masthead Unit Ocean Spec 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	13340.00	16408.20
BGH031003	 Vertical Masthead Unit 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	14168.00	17426.64
BGH031003/S	 Vertical Masthead Unit Ocean Spec 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	15548.00	19124.04
BGH031010	 Vertical Masthead Unit 1800mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	18170.00	22349.10
213-00-002	 The 213 Masthead unit is an ocean-proven high performance wind sensor, providing raw wind speed and angle data to the instrument system. For H5000 and H3000.	4784.00	5884.32

Accessories






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH030006	 VMHU – Kabel masztowy, 36 m	1978.00	2432.94
BGH030007	 VMHU – Kabel masztowy, 50 m	2741.60	3372.17
BGH030008	 VMHU Top Mount Bracket	910.80	1120.28
BGH030009	 VMHU Face Mount Bracket	851.00	1046.73
178-0B-001	 213 – Kabel masztowy, 24 m	1545.60	1901.09
178-0D-001	 213 – Kabel masztowy, 36 m	2024.00	2489.52
178-0X-001	 213 – Kabel masztowy, 50 m	2622.00	3225.06

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	423.20	520.54
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	92.00	113.16
178-30-023	 213 – Nakrętka kablowa	289.80	356.45
213-10-003	 213 – Części zapasowe (standardowe)	2208.00	2715.84
213-10-004	 MHU – Łożysko skośne	381.80	469.61
213-10-056	 MHU – Wiatrowskaz	193.20	237.64
213-10-101	 213 – Płytki obwodów głowicy masztowej	1651.40	2031.22
MHU-MLDGS	 MHU – Wypraski	285.20	350.80

Prędkość/Głębokość

Main Products









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SEN-SPD-HM	 H3000 – Czujnik prędkości z brązu, z kołnierzem	1702.00	2093.46
SEN-SPD-HP	 H3000 – Czujnik prędkości z plastiku, z kołnierzem	874.00	1075.02
SEN-SPD-HPF	 H3000 – Czujnik prędkości z plastiku, powierzchniowy	874.00	1075.02
SEN-DPT-A2M	 Czujnik głębokości NMEA z brązu, z kołnierzem	2875.00	3536.25
SEN-DPT-A2P	 Czujnik głębokości NMEA plastikowy, z kołnierzem	2231.00	2744.13

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SEN-HSG-M	 Obudowa z brązu z kołnierzem	1104.00	1357.92
SEN-HSG-P	 Obudowa z plastiku z kołnierzem	441.60	543.17
SEN-HSG-PF	 Obudowa z plastiku powierzchniowa	441.60	543.17
SEN-INSRT-SP2	 Zawór czujnika prędkości (wersja wtykana)	349.60	430.01
SEN-PLUG-SP2	 Korek obudowy (prędkość) (wersja wkręcana)	225.40	277.24
SEN-SPEED-H	 H3000 – Czujnik prędkości, sam	736.00	905.28
SEN-SPRS-SPD	 Części zapasowe dla czujnika prędkości (< 1996)	225.40	277.24
SEN-DEPTH-A2	 Czujnik głębokości NMEA, sam	1794.00	2206.62
SEN-DEPTH-H	 H3000 – Czujnik głębokości, sam	736.00	905.28
SEN-PLUG-DPT	 Korek obudowy (głębokość)	225.40	277.24










Triton².

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1587.00	1952.01
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4319.40	5312.86
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7455.83	9170.67
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6229.17	7661.88
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	7585.40	9330.04
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	10944.17	13461.33
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	9698.33	11928.95

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1587.00	1952.01
000-10756-001	 RF25N – Urządzenie sprzężenia zwrotnego steru: z ciągiem transmisyjnym i 5 m (16,5 stopy) kablem NMEA200 MicroC.	1467.40	1804.90
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2203.40	2710.18
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4319.40	5312.86
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	7820.00	9618.60



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	7585.40	9330.04
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	12788.00	15729.24
000-10614-001	 N2K, kabel IS40, Micro-C, podłączenie pod kątem prostym, 0,4 m (1,3 stopy)	110.40	135.79
RAM-T4-24V	 Siłownik hydrauliczny T4 24V, podwójny siłownik, praca ciągła	39872.80	49043.54
21119896	 DD15 – Napęd dla łodzi żaglowych 30-40 stóp m ze sprzęgłem elektromagnetycznym, dźwignią z kołkiem rumpła i sprzężeniem zwrotnym steru RF300. Zasilanie 12 V (wymagany AC42)	10350.00	12730.50
000-13697-001	 SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	6573.40	8085.28
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77

Spare Parts












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	174.80	215.00
000-13725-001	 Suncover for Simrad OP12 and B&G Triton ² Pilot controllers	64.40	79.21
000-12359-001	 WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001	 WR10 Wireless Remote for Autopilot.	961.40	1182.52
000-13952-001	 Triton2 Pilot & OP12 Installation Kit	64.40	79.21
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	174.80	215.00

H5000


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11554-001	 H5000 – Komputer autopilota: Rekordowego pilota B&G charakteryzują specjalizowane tryby sterowania i algorytmy żeglowania obejmujące Gust Response (reakcję na podmuchy), Recovery and High Wind Response (przywracanie kursu i reakcję na silny wiatr). Sprawdzony w najcięższych warunkach i najbardziej wymagających środowiskach, idealnie nadaje się do łodzi wycieczkowych i regatowych z niewielką obsadą.	10396.00	12787.08
000-11544-001	 H5000 Pilot Controller	2741.60	3372.17

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11544-001	 H5000 Pilot Controller	2741.60	3372.17
000-10756-001	 RF25N – Urządzenie sprzężenia zwrotnego steru: z ciągiem transmisyjnym i 5 m (16,5 stopy) kablem NMEA200 MicroC.	1467.40	1804.90
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85
000-13902-001	 Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	7084.00	8713.32
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	7820.00	9618.60
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	3933.00	4837.59
000-13788-001	 Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	12788.00	15729.24
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	12788.00	15729.24
RAM-T4-24V	 Siłownik hydrauliczny T4 24V, podwójny siłownik, praca ciągła	39872.80	49043.54




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	82.80	101.84
000-12615-001	 Missing Image H5000 Pilot Controller Edge Cover Set	36.80	45.26


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12895-001	CONNECTOR PACK (Green),H5000 PILOT CPU	299.00	367.77

Czujniki

Main Products














Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1467.40	1804.90
000-10756-001	 RF25N – Urządzenie sprzężenia zwrotnego steru: z ciągiem transmisyjnym i 5 m (16,5 stopy) kablem NMEA200 MicroC.	1467.40	1804.90
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85

Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
20193678	 RF300 – Zespół dźwigni transmisyjnej	317.40	390.40

Napędy

Main Products










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15444-002	 PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	3307.40	4068.10
000-15445-002	 PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	4043.40	4973.38
000-15446-002	 PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-15447-002	 PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	5883.40	7236.58
000-13902-001	 Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch, and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back-driven.	7084.00	8713.32
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	7820.00	9618.60
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	9522.00	11712.06
000-13788-001	 Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	12788.00	15729.24
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	12788.00	15729.24
RAM-T4-24V	 Siłownik hydrauliczny T4 24V, podwójny siłownik, praca ciągła	39872.80	49043.54
21119896	 DD15 – Napęd dla łodzi żaglowych 30-40 stóp m ze sprzęgłem elektromagnetycznym, dźwignią z kołkiem rumpla i sprzężeniem zwrotnym steru RF300. Zasilanie 12 V (wymagany AC42)	10350.00	12730.50
000-13697-001	 SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	6573.40	8085.28

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	230.00	282.90
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	2617.40	3219.40
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	777.40	956.20




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
44172096	 DL2030 – Kierowniczy drążek wzdłużny dla DD15. Długość: 400–500 mm. 7,9” – 11,8”. Wymagany AC12.	1297.20	1595.56
44172088	 DL3040 – Kierowniczy drążek wzdłużny dla DD15. Długość: 400–500 mm. 11,8” – 15,7”.	1297.20	1595.56
44172104	 DL4050 – Kierowniczy drążek wzdłużny dla DD15. Długość: 400–500 mm. 15,7” – 19,7”.	1297.20	1595.56

Spare Parts















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
20997953	 RPU80/100/150/160/200 – Zestaw uszczelek	446.20	548.83
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1320.20	1623.85
21118617	 RPU80 Motor Brushes - Framco	266.80	328.16
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	299.00	367.77
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	381.80	469.61
MOTOR-SPARE-1	 Missing Image Zamienny silnik, T1/T2 12V	2438.00	2998.74
RAM-BRSH-T2	 Missing Image Zamienne szczotki, napędy T3/T4 (dla T4 zamawiać 2 pary)	257.60	316.85
RAM-SPRS-T1	 Missing Image Zestaw naprawczy trzpienia, napędy T1/T2	1637.60	2014.25
RAM-SPRS-T3	 Missing Image Zestaw naprawczy trzpienia, napęd T3	2355.20	2896.90


Halo

Main Products








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	9430.00	11598.90
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11086.00	13635.78
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12420.00	15276.60

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3077.40	3785.20
000-11465-001	 HALO Antenna Only - 4ft	5960.83	7331.82
000-11466-001	 HALO Antenna Only - 6ft	8414.17	10349.43
000-11464-001	 HALO Antenna Only - 3ft	3430.82	4219.91
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	1789.40	2200.96
000-10904-001	 Kabel radaru szerokopasmowego, przedłużenie zewnętrzne, 2 m	303.60	373.43
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67
000-10905-001	 Kabel radaru szerokopasmowego, zewnętrzny 5 m	354.20	435.67
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79
LMB-A1	 LMB-A1 – Samopoziomujące mocowanie radaru szerokopasmowego do baksztagu (rufa)	7935.00	9760.05




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14072-001	 <p>VelocityTrack™ technology provides instant visual feedback on the motion of moving radar targets in relation to your boat. This powerful add-on offers yet another way for Halo™ radar to improve your situational awareness and reduce your risk of collision. Using the Doppler effect, the VelocityTrack™ feature is able to detect motion on the first radar sweep for a useful view straight from standby. This feature is available for any new or existing Halo™ radar system via the purchase of a one-time unlock code.</p> <p>Radar system requires a heading sensor with 10 Hz output or greater. This needs to be connected to the RI12</p>	2534.60	3117.56

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11465-001	 <p>HALO Antenna Only - 4ft</p>	5960.83	7331.82
000-11466-001	 <p>HALO Antenna Only - 6ft</p>	8414.17	10349.43
000-14552-001	 <p>Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.</p>	193.20	237.64
000-11464-001	 <p>HALO Antenna Only - 3ft</p>	3430.82	4219.91
000-12514-001	 <p>HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon</p>	303.60	373.43
000-12515-001	 <p>HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.</p>	188.60	231.98
000-11246-001	 <p>RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")</p>	110.40	135.79







Moduły

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, and High-Wide transducers. Support for high-frequency ActiveImaging HD transducers.	4135.40	5086.54
000-11142-001	 Moduł SonarHub, z kablem zasilającym i kablem Ethernet 4,5m (15 stóp)	2980.80	3666.38
000-12397-001	 StructureScan@ 3D module only. Transom mount and Through-Hull transducers available separately.	2980.80	3666.38

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11674-001	 Zestaw przetwornika ForwardScan™ z tuleją i korkiem	3537.40	4351.00
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 KHz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	4964.17	6105.93
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13942-001	 P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13911-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13912-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13913-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-13908-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13909-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13910-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-11460-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej z kablem Y. (para)	7355.40	9047.14
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	151.75	186.66
000-10802-001	 StructureScan™ – Mocowany pawężowo przetwornik HD Skimmer	1425.95	1753.92
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-29	 Żółty kabel Ethernet, 5-szpilkowy, 4,5 m (15 stóp)	257.60	316.85
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32
000-10802-001	 StructureScan™ – Mocowany pawężowo przetwornik HD Skimmer	1425.95	1753.92

ForwardScan™







Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11674-001	 Zestaw przetwornika ForwardScan™ z tuleją i korkiem	3537.40	4351.00
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	4964.17	6105.93

Accessories
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19





Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11669-001	 ForwardScan™ Sleeve and Plug Only (No Transducer)	1007.35	1239.05
000-12231-001	 ForwardScan™ Fairing Block Only	202.35	248.90
000-12230-001	 ForwardScan™ Plug Only	141.90	174.54
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	29.85	36.72
000-11675-001	 Przetwornik ForwardScan™ – Bez tulei lub korka	2530.00	3111.90
000-13578-001	 ForwardScan™ Long-Stem Housing Only	956.75	1176.81
000-13579-001	ForwardScan™ Long-Stem Fairing Block Only	248.35	305.48



Przetworniki

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	777.40	956.20
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 KHz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3077.40	3785.20
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1467.40	1804.90
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2065.40	2540.44
000-13942-001	 P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	685.40	843.04
000-13911-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13912-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4186.00	5148.78
000-13913-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4135.40	5086.54
000-13908-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13909-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4595.40	5652.34
000-13910-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4687.40	5765.50
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6205.40	7632.64
000-11460-001	 Sondujący przez kadłub przetwornik sonaru StructureScan™ HD ze stali nierdzewnej z kablem Y. (para)	7355.40	9047.14
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12162.40	14959.75
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	151.75	186.66

Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001	TRANSDUCER/NETWORK CABLE PULLING TOOLS	114.95	141.39
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	151.75	186.66
000-00099-006	 StructureScan™ – Kabel przedłużający przetwornika 3 m (10 stóp)	400.15	492.19











V100

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7240.40	8905.69
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4324.00	5318.52
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1715.80	2110.43
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1421.40	1748.32
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1715.80	2110.43
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1421.40	1748.32
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1145.40	1408.84
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15657-001	 NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	593.40	729.88
000-15656-001	 HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	501.40	616.72
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	345.00	424.35
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	188.60	231.98
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	239.20	294.22
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	322.00	396.06
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	358.80	441.32

Spare Parts










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1421.40	1748.32
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04
000-15642-001	 NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	6159.40	7576.06
000-15641-001	 NRS-1 Marine VHF Radio. Black box only	3445.40	4237.84










V60

Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14471-001	 B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	2479.40	3049.66
000-14474-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	4825.40	5935.24
000-14819-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	5285.40	6501.04
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1145.40	1408.84

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1145.40	1408.84
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00
000-15651-001	 SP100: External VHF speaker. 10W @ 4 Ohms. Comes with an attached twin core 2 m (6.5 ft) cable.	437.00	537.51
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	202.40	248.95
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	345.00	424.35


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	188.60	231.98
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	239.20	294.22
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	322.00	396.06
000-10378-001	 VKIT-9 – Zestaw montażu powierzchniowego dla RS10, RS12 i RS25	48.67	59.86
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	358.80	441.32
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	404.80	497.90

Spare Parts













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14913-001	 V60 VHF Suncover	101.20	124.48
000-14922-001	 B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	354.20	435.67
000-14919-001	 RS40/V60 Bulkhead Fist Mic Mounting Clip	41.40	50.92
000-14917-001	 RS40/V60 VHF Mounting bracket with Knobs and Screws	124.20	152.77
000-14915-001	 RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	55.20	67.90
000-14925-001	 HS40/H60 VHF Wireless handset Inductive charging cradle	253.00	311.19

V20

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1536.40	1889.77

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	345.00	424.35
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	188.60	231.98
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	239.20	294.22
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
000-15859-001	 VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.	358.80	441.32
000-14056-001	 V20 Suncover	94.71	116.50
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	404.80	497.90
000-14059-001	 RS20/V20 Flush Mount Kit	55.20	67.90





Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14261-001	 RS20/V20 Mounting Bracket	151.80	186.71












Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14263-001		RS20/V20 Mounting Bracket Knobs	73.60	90.53
000-14056-001		V20 Suncover	94.71	116.50
000-14262-001		RS20/V20 Fist Mic Clip	41.40	50.92

Klasa B






Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14380-001	 The V3100 Class B AIS incorporates SOTDMA technology and increased transmission power to enhance transmission frequency, reliability, and range compared to standard Class B AIS. This 'black-box' solution integrates with MFD displays, and features industry-standard connectivity.	4301.00	5290.23
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5055.40	6218.14
000-13609-001	 NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3813.40	4690.48
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1237.40	1522.00
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	345.00	424.35
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	188.60	231.98
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	239.20	294.22
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	322.00	396.06
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	358.80	441.32

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04
000-14806-001	 V3100 Power cable, 1.8 m (6ft)	147.20	181.06
000-14807-001	 V3100 NMEA 0183 Cable 1.8 m (6ft)	147.20	181.06
000-13611-001	 NAIS-500 class B AIS module only. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3629.40	4464.16

Cameras

Main Products


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15876-001	 <p>The IP CAM-1 marine grade 316 stainless steel IP camera. Powered by 12V DC or PoE.</p>	2571.40	3162.82








Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 <p>Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.</p>	193.20	237.64





Micro-C

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10760-001	 Zestaw startowy NMEA 2000 Micro-C: Zawiera kabel zasilający sieć, kabel N2K 4,5 m (15 stóp), 3 x trójnik, 2 x terminatory sieci.	414.00	509.22
000-0119-79	 N2K-T-RD – Trójnik Micro-C dla podłączenia dodatkowego urządzenia sieciowego	101.20	124.48
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	248.40	305.53
000-0119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85
000-0119-83	 N2KEXT-25RD – Kabel NMEA2000® 7,6 m (25 stóp) tylko dla przedłużenia magistrali	363.40	446.98
000-14376-001	 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	289.80	356.45
000-14377-001	 NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	326.60	401.72
000-14378-001	 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	455.40	560.14
000-14379-001	 NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	547.40	673.30
000-10614-001	 N2K, kabel IS40, Micro-C, podłączenie pod kątem prostym, 0,4 m (1,3 stopy)	110.40	135.79
000-15739-001	 NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	156.40	192.37
000-10403-001	 Trójnik metalowy Micro-C	166.78	205.14
000-10396-001	 Kabel, Micro-C, metal, 0,4 m	135.51	166.67
000-0127-52	 TR-120-KIT – Zestaw składający się 1 męskiego i 1 żeńskiego terminatora NMEA 2000®	101.20	124.48
000-0119-75	 N2K-PWR-RD – Kabel zasilający NMEA 2000®. Zawiera kabel zasilający i 1× trójnik	278.36	342.38

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10828-001	 Interfejs mostka sieciowego CZONE™ przeznaczony jest do izolowania sekcji sieci NMEA 2000, w celu zmniejszenia poboru prądu w spoczynku. Może być użyty do izolowania podczas mostkowania między dwoma sieciami CAN, (np., łącząc CZone do Simrad Simnet) lub do rozbudowy sieci NMEA, gdy został osiągnięty maksymalny limit węzłów (węzeł = każde urządzenie podłączone do sieci NMEA 2000). Gdy tylko został zainstalowany interfejs mostka, można dodać dalszych 40 węzłów.	1513.40	1861.48
000-12259-001	 Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	184.00	226.32
000-15939-001	 NMEA 0183® - NMEA 2000® converter. 1.8 m (6 ft) Micro-C to bare wire cable	841.80	1035.41
000-0127-45	 Zestaw adaptera SimNet do N2K – łączy urządzenie SimNet stałym kablem SimNet do sieci NMEA 2000®; zawiera męski adapter SimNet do N2K, szeregowy łącznik Simnet, trójnik NMEA2000®.	545.15	670.54
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00
000-10757-001	 20 m (66 stóp) kabel NMEA2000 wiatrowskazu (Micro-C męski - Simnet)	441.60	543.17
000-10758-001	 35 m (115 stóp) kabel NMEA2000 wiatrowskazu (Micro-C męski - Simnet)	611.80	752.51

Accessories









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0119-88	 N2KEXT-2RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	147.20	181.06
000-0127-53	 N2KEXT-6RD – Kabel NMEA2000® 1,8 m (6 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	230.00	282.90
000-0119-86	 N2KEXT-15RD – Kabel NMEA2000® 4,55 m (15 stóp) dla przedłużenia magistrali lub jako kabel gałązki dla podłączenia dodatkowego urządzenia sieciowego	257.60	316.85
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
44172260	 Łącznik SimNet żółty bez terminatora	82.80	101.84
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	1978.00	2432.94
000-10573-001	 Missing Image IS20 – Wspornik masztowy wiatrowskazu	303.23	372.98
24005729	 Kabel SimNet do Micro-C (męskie), który łączy produkt SimNet do magistrali NMEA 2000®, 0,5 m (1,6 stopy).	174.80	215.00

Ethernet

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16144-001	Ethernet Cable -Yellow 5-Pin Male-Male - 0.6 m (2 ft)	114.95	141.39
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	193.20	237.64
000-0127-56	 Adapter kablowy: żółty Ethernet 5-szpilekowany męski do żeńskiego RJ45, 2 m (6,5 stopy)	193.20	237.64
000-10029-001	 NEP-2 – port rozszerzenia Ethernet	1421.40	1748.32
000-0127-51	 Żółty kabel Ethernet, 5-szpilekowany, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilekowany, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilekowany, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilekowany, 15,2 m (50 stóp)	501.40	616.72
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	110.40	135.79

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-51	 Żółty kabel Ethernet, 5-szpilekowany, 1,8 m (6 stóp)	174.80	215.00
000-0127-29	 Żółty kabel Ethernet, 5-szpilekowany, 4,5 m (15 stóp)	257.60	316.85
000-0127-30	 Żółty kabel Ethernet, 5-szpilekowany, 7,7 m (25 stóp)	363.40	446.98
000-0127-37	 Żółty kabel Ethernet, 5-szpilekowany, 15,2 m (50 stóp)	501.40	616.72

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11447-001	 Spare WIFI-1 Power Cable.	142.14	174.83

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	 Kabel zasilający (wtyk 4-szpilkowy do 4 gołych przewodów na drugim końcu dla zasilania, magistrali sterowania zasilaniem i alarmu zewnętrznego) 2 m (6,5 stopy)	184.00	226.32


Fastnet

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
239-00-099	 Terminator	64.40	79.21
135-0A-170	FastNet – Kabel 2m	82.80	101.84





Rozmaite

Main Products












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
135-0A-097	 6-Core kabel czujnika wiatru 9 m	179.40	220.66
135-0B-096	 Kabel zasilający 15 m 0,5 mm ²	220.80	271.58
288-00-001	 Skrzynka przyłączeniowa 7 zaciskowa	193.20	237.64











Naviop Kits

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001	 Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5012.80	6165.75
000-14665-001	 Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	8661.06	10653.11
000-14664-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	7760.84	9545.84
000-14663-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	12309.32	15140.47

















Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	296.01	364.09
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14901-001	 <p>Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.</p>	165.83	203.97
C-28576	 <p>Naviop CAN Drop Cable NA30</p>	271.40	333.82
C-28574	 <p>Naviop CAN Drop Cable for NOVA+ - 1.2m</p>	257.60	316.85
C-34686	 <p>Axial DB9 Male Cable for RS323/485 - 2m</p>	140.30	172.57
C-DAU-CABLE	 <p>Naviop Wiring Harness for DAU Units - 2m</p>	483.00	594.09
DAU-B-128	 <p>Naviop DAU Bridge - CAN ID 128</p>	4830.00	5940.90
DAU-E-136	 <p>Naviop DAU Easy - CAN ID 136</p>	4830.00	5940.90
DAU-E-137	 <p>Naviop DAU Easy - CAN ID 137</p>	4830.00	5940.90
NA05-0003	 <p>Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.</p>	4278.00	5261.94
NA05-0003-H	 <p>Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.</p>	4370.00	5375.10

Naviop Parts


















Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001	 Naviop OP-BOX Programmable 1GHz	5865.00	7213.95
000-15897-001	 OP-BOX 1Ghz, Programmable, with Power cable	4549.40	5595.76
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4733.40	5822.08
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	296.01	364.09
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	271.40	333.82
000-14991-001	 Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1283.40	1578.58
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4002.00	4922.46
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4002.00	4922.46
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	113.62	139.75
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	358.80	441.32
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	358.80	441.32
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	358.80	441.32
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	165.83	203.97

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28576	 Naviop CAN Drop Cable NA30	271.40	333.82
C-28574	 Naviop CAN Drop Cable for NOVA+ - 1.2m	257.60	316.85
C-34686	 Axial DB9 Male Cable for RS323/485 - 2m	140.30	172.57
C-DAU-CABLE	 Naviop Wiring Harness for DAU Units - 2m	483.00	594.09
DAU-B-128	 Naviop DAU Bridge - CAN ID 128	4830.00	5940.90
DAU-E-136	 Naviop DAU Easy - CAN ID 136	4830.00	5940.90
DAU-E-137	 Naviop DAU Easy - CAN ID 137	4830.00	5940.90
NA05-0003	 Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4278.00	5261.94
NA05-0003-H	 Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4370.00	5375.10

REVEAL™


















Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS	 REVEAL: M-AF-Y209-MS South & East Africa	915.40	1125.94
M-AF-Y210-MS	 REVEAL: M-AF-Y210-MS West Africa	915.40	1125.94
M-EM-Y076-MS	 REVEAL: M-EM-Y076-MS South-West European Coasts	915.40	1125.94
M-EM-Y111-MS	 REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	915.40	1125.94
M-EN-Y070-MS	 REVEAL: M-EN-Y070-MS Central Europe Inland	915.40	1125.94
M-EN-Y299-MS	 C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	915.40	1125.94
M-EN-Y300-MS	 C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	915.40	1125.94
M-EN-Y326-MS	 C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	915.40	1125.94
M-EN-Y580-MS	 C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	915.40	1125.94
M-EW-Y065-MS	 REVEAL: M-EW-Y065-MS France Coastal & Inland	915.40	1125.94
M-EW-Y226-MS	 REVEAL: M-EW-Y226-MS United Kingdom	915.40	1125.94
M-EW-Y227-MS	 REVEAL: M-EW-Y227-MS North-West European Coasts	915.40	1125.94
M-EW-Y228-MS	 REVEAL: M-EW-Y228-MS West European Coasts	915.40	1125.94
M-ME-Y204-MS	 REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	915.40	1125.94
M-RS-Y013-MS	 REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	915.40	1125.94
M-RS-Y202-MS	 REVEAL: M-RS-Y202-MS Russian Federation – North West	915.40	1125.94
M-RS-Y203-MS	 REVEAL: M-RS-Y203-MS Russian Federation – North Central	915.40	1125.94











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)	
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	915.40	1125.94
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	915.40	1125.94

DISCOVER™

Main Products














Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y214-MS	 DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	593.40	729.88
M-AF-Y200-MS	 DISCOVER: M-AF-Y200-MS Cameroon to South Africa	593.40	729.88
M-AF-Y201-MS	 DISCOVER: M-AF-Y201-MS South Africa to Mozambique	593.40	729.88
M-AF-Y220-MS	 DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	593.40	729.88
M-EM-Y040-MS	 DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	593.40	729.88
M-EM-Y200-MS	 DISCOVER: M-EM-Y200-MS West Mediterranean	593.40	729.88
M-EM-Y201-MS	 DISCOVER: M-EM-Y201-MS Central Mediterranean	593.40	729.88
M-EM-Y202-MS	 DISCOVER: M-EM-Y202-MS Mediterranean South Central	593.40	729.88
M-EM-Y203-MS	 DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	593.40	729.88
M-EM-Y204-MS	 DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	593.40	729.88
M-EM-Y205-MS	 DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	593.40	729.88
M-EM-Y206-MS	 DISCOVER: M-EM-Y206-MS Mediterranean South East	593.40	729.88
M-EN-Y200-MS	 C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	593.40	729.88
M-EN-Y201-MS	 DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	593.40	729.88
M-EN-Y202-MS	 DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	593.40	729.88
M-EN-Y203-MS	 DISCOVER: M-EN-Y203-MS Farsund to Måløy	593.40	729.88
M-EN-Y204-MS	 DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	593.40	729.88












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y205-MS	 DISCOVER: M-EN-Y205-MS Karlskrona to Emden	593.40	729.88
M-EN-Y206-MS	 DISCOVER: M-EN-Y206-MS Torekov to Larvik	593.40	729.88
M-EN-Y207-MS	 DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	593.40	729.88
M-EN-Y208-MS	 DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	593.40	729.88
M-EN-Y209-MS	 DISCOVER: M-EN-Y209-MS Gulf of Bothnia	593.40	729.88
M-EN-Y210-MS	 DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	593.40	729.88
M-EN-Y211-MS	 DISCOVER: M-EN-Y211-MS Finland Lakes	593.40	729.88
M-EN-Y212-MS	 DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	593.40	729.88
M-EN-Y213-MS	 DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	593.40	729.88
M-EN-Y214-MS	 DISCOVER: M-EN-Y214-MS Polish Coast & Inland	593.40	729.88
M-EN-Y215-MS	 DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	593.40	729.88
M-EN-Y216-MS	 DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	593.40	729.88
M-EN-Y217-MS	 DISCOVER: M-EN-Y217-MS Central Europe Inland	593.40	729.88
M-EN-Y218-MS	 DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	593.40	729.88
M-EN-Y630-MS	 DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	593.40	729.88
M-EW-Y206-MS	 DISCOVER: M-EW-Y206-MS French Inland Waters	593.40	729.88
M-EW-Y207-MS	 DISCOVER: M-EW-Y207-MS Bay of Biscay	593.40	729.88
M-EW-Y208-MS	 DISCOVER: M-EW-Y208-MS Portugal & Galicia	593.40	729.88

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y209-MS	 DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	593.40	729.88
M-ME-Y200-MS	 DISCOVER: M-ME-Y200-MS Red Sea	593.40	729.88
M-ME-Y201-MS	 DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	593.40	729.88
M-RS-Y009-MS	 DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	593.40	729.88
M-RS-Y221-MS	 DISCOVER: M-RS-Y221-MS White Sea	593.40	729.88
M-EW-Y060-MS	 DISCOVER: M-EW-Y060-MS Central & West Europe	851.00	1046.73
M-RS-Y240-MS	 DISCOVER: M-RS-Y240-MS Tauyskaya Bay	381.80	469.61
M-AF-Y003-MS	 DISCOVER: M-AF-Y003-MS Antarctica	851.00	1046.73
M-AF-Y050-MS	 DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	851.00	1046.73
M-EM-Y045-MS	 DISCOVER: M-EM-Y045-MS Southern Europe	851.00	1046.73
M-EN-Y040-MS	 DISCOVER: M-EN-Y040-MS Greenland	851.00	1046.73
M-EN-Y050-MS	 DISCOVER: M-EN-Y050-MS Northern & Central Europe	851.00	1046.73
M-EN-Y055-MS	 DISCOVER: M-EN-Y055-MS Baltic Sea	851.00	1046.73
M-EW-Y200-MS	 DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	693.98	853.59

DISCOVER™ X














Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-T-050-D-MS 	AF-T-050-D-MS - DISCOVER X Africa, Arabic Sea	863.44	1062.03
M-AF-T-209-D-MS 	AF-T-209-D-MS - DISCOVER X South and East Africa	599.52	737.41
M-AF-T-210-D-MS 	AF-T-210-D-MS - DISCOVER X West Africa	599.52	737.41
M-EM-T-045-D-MS 	EM-T-045-D-MS - DISCOVER X Southern Europe	863.44	1062.03
M-EM-T-076-D-MS 	EM-T-076-D-MS - DISCOVER X West Mediterranean	599.51	737.40
M-EM-T-111-D-MS 	EM-T-111-D-MS - DISCOVER X East Mediterranean	599.51	737.40
M-EM-T-112-D-MS 	EM-T-112-D-MS - DISCOVER X Black and Caspian Seas	599.51	737.40
M-EN-T-050-D-MS 	EN-T-050-D-MS - DISCOVER X Northern, Central Europe	863.44	1062.03
M-EN-T-055-D-MS 	EN-T-055-D-MS - DISCOVER X Sweden, Finland Baltic Sea	863.44	1062.03
M-EN-T-200-D-MS 	EN-T-200-D-MS - DISCOVER X Skagerrak, Kattegatt and Baltic Sea	599.51	737.40
M-EN-T-218-D-MS 	EN-T-218-D-MS - DISCOVER X Greenland and Iceland	599.51	737.40
M-EN-T-040-D-MS 	EN-T-040-D-MS - DISCOVER X Greenland	863.44	1062.03
M-EN-T-300-D-MS 	EN-T-300-D-MS - DISCOVER X North Sea	599.51	737.40

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-T-326-D-MS	 EN-T-326-D-MS - DISCOVER X Finland Inland and Baltic Sea	599.51	737.40
M-EN-T-580-D-MS	 EN-T-580-D-MS - DISCOVER X Scandinavia Inland	599.51	737.40
M-EW-T-060-D-MS	 EW-T-060-D-MS - DISCOVER X Central-West Europe	863.44	1062.03
M-EW-T-226-D-MS	 EW-T-226-D-MS - DISCOVER X United Kingdom	599.51	737.40
M-EW-T-227-D-MS	 EW-T-227-D-MS - DISCOVER X North-West Europe	599.51	737.40
M-EW-T-228-D-MS	 EW-T-228-D-MS - DISCOVER X West European Coasts	599.51	737.40
M-RS-T-013-D-MS	 RS-T-013-D-MS - DISCOVER X Kamchatka Peninsula and Kuril Islands	599.51	737.40
M-RS-T-202-D-MS	 RS-T-202-D-MS - DISCOVER X Russian Federation North West	599.51	737.40
M-RS-T-204-D-MS	 RS-T-204-D-MS - DISCOVER X Russian Federation North East	599.51	737.40
M-RS-T-210-D-MS	 RS-T-210-D-MS - DISCOVER X West Russia Inland	599.51	737.40
M-RS-T-211-D-MS	 RS-T-211-D-MS - DISCOVER X East Russia Inland	599.51	737.40

REVEAL™X COASTAL

















Main Products


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-T-209-R-MS	 AF-T-209-R-MS - REVEAL X South and East Africa	938.87	1154.81
M-AF-T-210-R-MS	 AF-T-210-R-MS - REVEAL X West Africa	938.87	1154.81
M-EM-T-076-R-MS	 EM-T-076-R-MS - REVEAL X West Mediterranean	938.85	1154.79
M-EM-T-111-R-MS	 EM-T-111-R-MS - REVEAL X East Mediterranean	938.85	1154.79
M-EM-T-112-R-MS	 EM-T-112-R-MS - REVEAL X Black and Caspian Seas	938.85	1154.79
M-EN-T-200-R-MS	 EN-T-200-R-MS - REVEAL X Skagerak, Kattegatt and Baltic Sea	938.85	1154.79
M-EN-T-218-R-MS	 EN-T-218-R-MS - REVEAL X Greenland and Iceland	938.85	1154.79
M-EN-T-300-R-MS	 EN-T-300-R-MS - REVEAL X North Sea	938.85	1154.79
M-EN-T-326-R-MS	 EN-T-326-R-MS - REVEAL X Finland Inland and Baltic Sea	938.85	1154.79
M-EN-T-580-R-MS	 EN-T-580-R-MS - REVEAL X Scandinavia Inland	938.85	1154.79
M-EW-T-226-R-MS	 EW-T-226-R-MS - REVEAL X United Kingdom	938.86	1154.80
M-EW-T-227-R-MS	 EW-T-227-R-MS - REVEAL X North-West Europe	938.85	1154.79
M-EW-T-228-R-MS	 EW-T-228-R-MS - REVEAL X West European Coasts	938.85	1154.79


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-ME-T-204-R-MS		ME-T-204-R-MS - REVEAL X Red Sea, The Gulf and Seychelles Is.	938.87 1154.81
M-RS-T-013-R-MS		RS-T-013-R-MS - REVEAL X Kamchatka Peninsula and Kuril Islands	938.85 1154.79













Navigation

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13172-001	 Vulcan-5 Suncover	68.95	84.81
000-14228-001	 Vulcan 7R Suncover	92.00	113.16
000-13701-001	 Vulcan 9 Suncover	124.20	152.77
000-14152-001	 Vulcan 12 Suncover	142.09	174.77
000-12374-001	 Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	101.20	124.48
000-12373-001	 Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	50.60	62.24
000-12372-001	 Mounting bracket for Simrad NSX 3007, GO7 XSR, I3007, P3007, and B&G Vulcan 7R,	133.40	164.08
000-12366-001	 FLUSH MOUNT KIT,GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	140.72	173.08
000-15819-001	 B&G Zeus S 7 Suncover	137.95	169.68
000-15820-001	 B&G Zeus S 9 Suncover	137.95	169.68
000-15821-001	 B&G Zeus S 12 Suncover	160.95	197.97
000-13744-001	 B&G Zeus³ 7" Sun cover	119.60	147.11
000-13745-001	 B&G Zeus³/S 9" Sun cover	133.40	164.08
000-13746-001	 B&G Zeus³/S 12" Sun cover	147.20	181.06
000-13747-001	 B&G Zeus³/S 16" Sun cover	161.00	198.03
000-15635-001	 B&G Magnetic Suncover for 16" Monitor	437.00	537.51
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14357-001	 B&G Suncover for 16" Monitor	426.42	524.50
000-15636-001	 B&G Magnetic Suncover for 19" Monitor	575.00	707.25
000-14358-001	 B&G Suncover for 19" Monitor	497.49	611.91
000-15637-001	 B&G Magnetic Suncover for 24" Monitor	874.00	1075.02
000-14359-001	 B&G Suncover for 24" Monitor	615.94	757.61
000-11248-001	 NSO evo2 – Kabel wideo HDMI monitora 3 m (9,8 stopy)	110.35	135.74
000-11249-001	 NSO evo2 – Kabel wideo HDMI monitora 10 m (33 stopy)	258.01	317.36
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	128.80	158.42
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	248.40	305.53
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	400.20	492.25
000-13748-001	 NSSevo3 & ZEUS ³ Chart Card Door	64.40	79.21
000-13749-001	 NSSevo3 & ZEUS ³ 7" Edge Bezels	73.60	90.53
000-13750-001	 NSSevo3/3S & ZEUS ³ /3S 9" Edge Bezels	82.80	101.84
000-13751-001	 NSSevo3/3S & ZEUS ³ /3S 12" Edge Bezels	92.00	113.16
000-13752-001	 NSSevo3/3S & ZEUS ³ /3S 16" Edge Bezels	115.00	141.45
000-13753-001	 NSSevo3 & ZEUS ³ 7" Dash Mount Kit	92.00	113.16
000-13754-001	 NSSevo3/3S & ZEUS ³ /3S 9" Dash Mount Kit	105.80	130.13















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13755-001	 NSSevo3/3S & ZEUS ³ /3S 12" Dash Mount Kit	124.20	152.77
000-13756-001	 NSSevo3/3S & ZEUS ³ /3S 16" Dash Mount Kit	165.60	203.69
000-13758-001	 NSSevo3/3S & ZEUS ³ /3S 9" Mounting Bracket (Plastic)	165.60	203.69
000-13759-001	 NSSevo3/3S & ZEUS ³ /3S 12" Mounting Bracket	303.60	373.43
000-13760-001	 NSS16evo3/3S & ZEUS ³ /3S 16" Mounting Bracket (Metal)	317.40	390.40
000-14317-001	 Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	101.20	124.48
000-13547-001	 Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	1481.20	1821.88
000-11618-001	 MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	289.80	356.45
000-14488-001	 Missing Image Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	236.85	291.33
000-13171-001	 GO5 & Vulcan-5 Power & N2K Cable	174.80	215.00
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	124.15	152.71
000-13170-001	 Edge Bezel for P2005, I3005, GO5 & Vulcan-5	50.60	62.24
000-13169-001	 Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	64.40	79.21
000-14230-001	 Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	78.20	96.19
000-14229-001	 Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	101.20	124.48
000-13699-001	 GO9 XSE & Vulcan 9 Dash Mount Kit	101.20	124.48
000-13700-001	 Replacement bezel for Simrad GO9 or B&G Vulcan9.	82.80	101.84

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	151.80	186.71
000-14247-001	 GO12 & Vulcan 12 Edge Bezel	101.20	124.48
000-14148-001	 U-BRACKET 12" GO, VULCAN, NSX, ZEUS S	151.80	186.71
000-11247-001	 NSO evo2 NMEA0183/Touch – 8-żyłowy kabel szeregowy monitora 2 m (6,5 stopy). Cztery żyły dla NMEA0183 i cztery dla szeregowego RS232.	96.60	118.82
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1007.40	1239.10
000-12743-001	 OP50 / ZC2 Suncover	64.40	79.21
000-12746-001	 OP50 / ZC2 Dial Knob with grub screw	189.47	233.05
000-12745-001	 OP50 / ZC2 Flush Mounting Bracket Kit	404.80	497.90
000-12744-001	 OP50 / ZC2 Dash Mounting Kit	64.40	79.21
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	220.80	271.58
000-15475-001	WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	239.20	294.22
Accessories			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	128.80	158.42
000-14488-001	 Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	236.85	291.33








Przyrządy

Main Products








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12892-001	SUN COVER,H5000 DISPLAYS	92.00	113.16
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	82.80	101.84
000-15822-001	 Corner bezel clips for NSX range of displays. Set of four corner clips	114.95	141.39
000-13725-001	 Suncover for Simrad OP12 and B&G Triton ² Pilot controllers	64.40	79.21
000-15868-001	 B&G Nemesis™ 9 Spare Suncover	145.36	178.79
000-15869-001	 B&G Nemesis™ 12 Spare Suncover	158.70	195.20
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	1288.00	1584.24
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	1495.00	1838.85
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	354.20	435.67
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	547.40	673.30
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	823.40	1012.78
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1099.40	1352.26
000-15545-001	 Gasket for H5000 Graphic/Race Displays 5-pack	69.00	84.87
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	317.40	390.40
000-15546-001	 Gasket for 20/20 HV Display 5-pack	78.20	96.19
BGH320001	 10/10HV – Zestaw wyświetlacza dla systemów H3000 i WTP3.	2479.40	3049.66
BGH290001	 20/20HV – Zestaw wyświetlacza dla systemów H3000 i WTP3.	5566.00	6846.18




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH240001	 30/30HV – Zestaw wyświetlacza dla systemów H3000 i WTP3.	10810.00	13296.30
BGH280001	 40/40HV – Zestaw wyświetlacza dla systemów H3000 i WTP3.	17894.00	22009.62
000-15547-001	 Gasket for 30/30 HV Display 5-pack	220.80	271.58
000-15548-001	 Gasket for 40/40 HV Display 5-pack	395.60	486.59
000-13722-001	 Suncover for B&G Triton ² Display	69.00	84.87
000-13950-001	 IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	64.40	79.21
000-13952-001	 Triton2 Pilot & OP12 Installation Kit	64.40	79.21
000-12614-001	H5000 Displays - Edge Cover Set	36.80	45.26
000-12615-001	 H5000 Pilot Controller Edge Cover Set	36.80	45.26
037-03195	 FFD Elastomeric	128.80	158.42
037-03607	 20/20 Elastomeric	69.00	84.87
239-30-068	 Uszczelka montażowa wyświetlacza (FFD, 20/20 mk. 1)	23.00	28.29
000-10568-001	 Zespół wtyczki akcesoriów dla DST800	110.40	135.79
000-11740-001	 Airmar 110WX/ 120WX Cable 6 m (19.6 ft) (NMEA 2000 to Device cable)	276.00	339.48
000-10388-001	Paddlewheel spares kit for DST800	161.00	198.03
000-10862-001	 Triton Wyświetlacz – Główny zestaw montażowy	128.80	158.42
000-12899-001	USB PORT COVER,H5000 GRAPHIC DISPLAY	46.00	56.58
000-12897-001	GROMMET PACK,H5000 MODULES	75.81	93.24
000-12896-001	GROMMET PACK,H5000 CPU	75.81	93.24
000-12895-001	CONNECTOR PACK (Green),H5000 PILOT CPU	299.00	367.77
000-12898-001	CONN PACK,H5000 EXPANSION MODULES	108.97	134.04
000-12894-001	CONN PACK,H5000 CPU	299.00	367.77

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH301035	 B&G kabel SimNet 0,35m (RA-RA)	165.60	203.69
BGH220013	 20/20HV – Wspornik masztowy – 3 kierunkowy	1012.00	1244.76
BGH220014	 20/20HV – Wspornik masztowy – 4 kierunkowy	1426.00	1753.98
BGH220015	 20/20HV – Wspornik masztowy – 5 kierunkowy	1738.80	2138.72
BGH291017	 20/20HV – Maskownica (biała)	280.60	345.14
BGH291018	 20/20HV – Maskownica (czerwona)	280.60	345.14
BGH291019	 20/20HV – Maskownica (zielona)	280.60	345.14


















Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH281011	 40/40HV – Maskownica (czarna)	303.60	373.43
BGH284014	 40/40HV – Osłona przeciwsłoneczna	170.20	209.35
BGH241011	 30/30HV – Maskownica (czarna)	276.00	339.48
BGH244014	 30/30HV – Osłona przeciwsłoneczna	165.60	203.69
BGH291001	 20/20HV – Tylko wyświetlacz	5267.00	6478.41
BGH291011	 20/20HV – Maskownica (czarna)	207.00	254.61
BGH321011	 10/10HV – Maskownica (czarna)	124.20	152.77

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH324014	 Missing Image 10/10HV – Osłona przeciwsłoneczna	92.00	113.16
BGH231021	 Missing Image H3000 – Maskownica wskaźnika analogowego (czarna)	128.80	158.42
BGH234017	 H3000 – Osłona przeciwsłoneczna (wskaźnik analogowy)	82.80	101.84






Czujniki

Main Products









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	220.80	271.58
000-15615-001	Replacement PCB for the WS320 wind sensor.	1370.80	1686.08
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	78.20	96.19
000-11675-001	 Przetwornik ForwardScan™ – Bez tulei lub korka	2530.00	3111.90
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	381.80	469.61
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	142.60	175.40
000-15141-001	 Replacement battery for WS320 wireless wind sensor.	101.20	124.48
000-13578-001	 ForwardScan™ Long-Stem Housing Only	956.75	1176.81
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1370.80	1686.08
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	423.20	520.54
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	92.00	113.16
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	837.20	1029.76
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	874.00	1075.02
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	1978.00	2432.94
275-00-031	 XTL Fin – Prędkość/ głębokość, z brązu, długi	12190.00	14993.70
275-00-045	 XTL Fin – Prędkość, ze stali nierdzewnej, standardowy	11270.00	13862.10
000-13579-001	ForwardScan™ Long-Stem Fairing Block Only	248.35	305.48
SEN-RUD-LFB	 Liniowy czujnik steru (niebieski, napędy T1/T2)	2355.20	2896.90
BGH033004	 V-MHU – zespół wiązki kabli (dla 810 mm/32")	598.00	735.54









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SEN-RUD-LF2	 Liniowy czujnik steru (czarny, napędy T1/T2)	2355.20	2896.90
000-13716-001	 Bracket Kit - Water Level or Antenna Mount	28.43	34.97
000-10573-001	 IS20 – Wspornik masztowy wiatrowskazu	303.23	372.98
000-0127-54	 Kabel zasilający dla BSM-1, LSS-2 2 m (6,5 stopy)	220.80	271.58

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10757-001	 20 m (66 stóp) kabel NMEA2000 wiatrowskazu (Micro-C męski - Simnet)	441.60	543.17
000-10758-001	 35 m (115 stóp) kabel NMEA2000 wiatrowskazu (Micro-C męski - Simnet)	611.80	752.51
178-0B-001	 213 – Kabel masztowy, 24 m	1545.60	1901.09
178-0D-001	 213 – Kabel masztowy, 36 m	2024.00	2489.52
178-0X-001	 213 – Kabel masztowy, 50 m	2622.00	3225.06










Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	29.85	36.72
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	423.20	520.54
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	92.00	113.16
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	874.00	1075.02
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	1978.00	2432.94
000-10573-001	 IS20 – Wspornik masztowy wiatrowskazu	303.23	372.98
178-30-023	 213 – Nakrętka kablowa	289.80	356.45
213-10-003	 213 – Części zapasowe (standardowe)	2208.00	2715.84


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
213-10-004	 Missing Image MHU – Łożysko skośne	381.80	469.61
213-10-056	 Missing Image MHU – Wiatrowskaz	193.20	237.64
213-10-101	 Missing Image 213 – Płytki obwodów głowicy masztowej	1651.40	2031.22
MHU-MLDGS	 Missing Image MHU – Wypraski	285.20	350.80
SEN-DEPTH-A2	 Missing Image Czujnik głębokości NMEA, sam	1794.00	2206.62
SEN-DEPTH-H	 Missing Image H3000 – Czujnik głębokości, sam	736.00	905.28
SEN-PLUG-DPT	 Missing Image Korek obudowy (głębokość)	225.40	277.24
BGH063001	 Missing Image HGSC – Kabel	1002.80	1233.44

Radars



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11465-001	 HALO Antenna Only - 4ft	5960.83	7331.82
000-11466-001	 HALO Antenna Only - 6ft	8414.17	10349.43
000-11464-001	 HALO Antenna Only - 3ft	3430.82	4219.91
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	1789.40	2200.96
000-10904-001	 Kabel radaru szerokopasmowego, przedłużenie zewnętrzne, 2 m	303.60	373.43
000-10905-001	 Kabel radaru szerokopasmowego, zewnętrzny 5 m	354.20	435.67
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	303.60	373.43
000-12515-001	 HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	188.60	231.98

Accessories











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	299.00	367.77

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	303.60	373.43
000-12515-001	 HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	188.60	231.98

Autopilot/Steering


Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14463-001	NAC-2 Spare Drive Cable - 2m (6.5 ft)	174.80	215.00
20997953	 RPU80/100/150/160/200 – Zestaw uszczeltek	446.20	548.83
21118617	 RPU80 Motor Brushes - Framco	266.80	328.16
21118633	 Szczotka RPU160	317.40	390.40
21118625	 Szczotki, para, RPU300, FRACMO	317.40	390.40
21118666	 Szczotki, LEMAC RPU80/160, para	372.60	458.30
21118682	 Szczotki (para) RPU300, LEMAC, długie	404.80	497.90
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	381.80	469.61
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	777.40	956.20
000-14464-001	NAC-1 & NAC-2 Power Cable - 2m	174.80	215.00
000-12359-001	 WR10 BT-1 Base Station Only	1237.40	1522.00
000-12358-001	 WR10 Wireless Remote for Autopilot.	961.40	1182.52

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77

















Spare Parts

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
20997953	 RPU80/100/150/160/200 – Zestaw uszczeltek	446.20	548.83

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
21118617	 RPU80 Motor Brushes - Framco	266.80	328.16
21118633	 Szczotka RPU160	317.40	390.40
21118625	 Szczotki, para, RPU300, FRACMO	317.40	390.40
21118666	 Szczotki, LEMAC RPU80/160, para	372.60	458.30
21118682	 Szczotki (para) RPU300, LEMAC, długie	404.80	497.90
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	381.80	469.61

Komunikacja









Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14261-001	 RS20/V20 Mounting Bracket	151.80	186.71
000-14913-001	 V60 VHF Suncover	101.20	124.48
000-14922-001	 B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	354.20	435.67
000-14919-001	 RS40/V60 Bulkhead Fist Mic Mounting Clip	41.40	50.92
000-14917-001	 RS40/V60 VHF Mounting bracket with Knobs and Screws	124.20	152.77
000-14915-001	 RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	55.20	67.90
000-14925-001	 HS40/H60 VHF Wireless handset Inductive charging cradle	253.00	311.19
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	202.40	248.95
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	685.40	843.04
000-15642-001	 NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	6159.40	7576.06
000-15657-001	 NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	593.40	729.88
000-15653-001	 CR100 Mounting cradle for HS100 & H100 VHF radio handsets	92.00	113.16
000-15656-001	 HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	501.40	616.72
000-11727-001	 RS90/V90 – 20m (65 stóp) kabel mikrotelefonu. Zawiera złącze phoenix i mocowanie grodziowe	411.73	506.43
AA000355	 Antena VHF Navico 1710, 2,5 m (8 stóp) ultraglass, Quickfit®, 6dB	345.00	424.35

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000358	 Antena VHF Navico 1770, 1 m (3 stopy) ultraglass, Quickfit®, 3dB	188.60	231.98
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000352	 Antena VHF Navico 1720, 1,1 m (3 stopy) biczowa ze stali nierdzewnej, ze wspornikiem do masztu, 3dB	239.20	294.22
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	322.00	396.06
000-15641-001	 NRS-1 Marine VHF Radio. Black box only	3445.40	4237.84
000-10378-001	 VKIT-9 – Zestaw montażu powierzchniowego dla RS10, RS12 i RS25	48.67	59.86
000-11564-001	 BC-10 VHF Charger w/ US Power Adapter for HH36 and LINK-2 VHF.	260.59	320.53
000-11562-001	 BC-10 VHF Charger w/ 12V CIG Plug for HH36 and LINK-2 VHF.	182.41	224.37
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	358.80	441.32
000-14806-001	 V3100 Power cable, 1.8 m (6ft)	147.20	181.06
000-14807-001	 V3100 NMEA 0183 Cable 1.8 m (6ft)	147.20	181.06
000-14263-001	 RS20/V20 Mounting Bracket Knobs	73.60	90.53
000-14056-001	 V20 Suncover	94.71	116.50
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	404.80	497.90







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14059-001	 RS20/V20 Flush Mount Kit	55.20	67.90

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	202.40	248.95
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	253.00	311.19
000-11727-001	 RS90/V90 – 20m (65 stóp) kabel mikrotelefonu. Zawiera złącze phoenix i mocowanie grodziowe	411.73	506.43
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
AA000401	 Kabel masztowy VHF 30 m (98 stóp) dla anteny 1720	322.00	396.06

















Echo Sounder





Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16295-001	TRANSDUCER/NETWORK CABLE PULLING TOOLS	114.95	141.39
000-11669-001	 ForwardScan™ Sleeve and Plug Only (No Transducer)	1007.35	1239.05
000-12231-001	 ForwardScan™ Fairing Block Only	202.35	248.90
000-12230-001	 ForwardScan™ Plug Only	141.90	174.54
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	29.85	36.72
000-11224-001	ZAPASOWA OSŁONA PRZETWORNIKA Z BRĄZU LSS HD	478.35	588.38
000-10567-001	 P617V DST HSG VLV KIT	248.40	305.53
000-11040-001	 Missing Image Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	500.94	616.16

Sieć














Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005910	 Kabel zasilający SimNet bez terminatora 2 m (6,6 stopy), żółta końcówka	142.60	175.40
24005829	 Kabel SimNet 0,3 m (1 stopa)	142.60	175.40
24005837	 Kabel SimNet 2 m (6,6 stopy)	184.00	226.32
24005845	 Kabel SimNet 5 m (16 stóp)	216.20	265.93
24005852	 Kabel SimNet 10 m (33 stopy) Uwaga: tylko dla magistrali SimNet	271.40	333.82
24005860	 Wielozłączka 3-wtykowa Simnet	133.40	164.08
24005886	 Wtyk zabezpieczający SimNet	23.00	28.29
24005894	 Wtyk zakańczający SimNet	59.80	73.55
24005902	 Kabel zasilający SimNet bez terminatora 2 m (6,6 stopy), czerwona końcówka	156.40	192.37
24006199	 Kabel Micro-C (żeńskie) do SimNet, który łączy produkt NMEA 2000 do sieci szkieletowej SimNet, 1,0 m (3,2 stopy).	161.00	198.03
24006298	 Wielozłączka 7-wtykowa Simnet	271.40	333.82
24006306	 Trójnik grodziowy SimNet	299.00	367.77
24006413	 Kabel Micro-C (żeńskie) do SimNet, który łączy produkt NMEA 2000 do magistrali SimNet, 4 m (13 stóp).	216.20	265.93
44172260	 Łącznik SimNet żółty bez terminatora	82.80	101.84
44172278	 Łącznik SimNet czerwony z terminatorem	82.80	101.84
000-00020-001	 ST10 – Zestaw narzędzi programujących SimNet	823.40	1012.78






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SIMKIT-1	 <p data-bbox="491 286 711 304">Zestaw startowy 1 SimNet</p>	576.84	709.51
000-10438-001	 <p data-bbox="491 405 1270 445">RJ45-Yellow Round Ethernet adapter cable RJ45M / 5PinF for products with waterproof RJ45 socket.</p>	170.20	209.35
000-11584-001	 <p data-bbox="491 510 863 528">NMEA0183 Serial Cable - LTW 8 Way - 10M</p>	197.80	243.29
000-11447-001	 <p data-bbox="491 622 719 640">Spare WIFI-1 Power Cable.</p>	142.14	174.83

Inne



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	230.00	282.90
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	2617.40	3219.40
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-2,3,4 & 5. 2Pcs. Note: Not for Pump-1	299.00	367.77
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	404.80	497.90
000-14495-001	V90S Blackbox VHF with AIS (receive only) Conforms to new EU Standard	3264.48	4015.31
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	174.80	215.00
000-14352-001	SERVICE PACK FOR SIMNET TERMINATOR	57.33	70.52
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	124.20	152.77
000-14060-001	 LINK-6 Mounting Bracket	151.80	186.71
000-14064-001	 LINK-6 Mounting Bracket Knobs	73.60	90.53
BGH301035	 B&G kabel SimNet 0,35m (RA-RA)	165.60	203.69
000-12265-001	 VMHU MAST CABLE 80M	4382.65	5390.66
000-12266-001	 213 MAST CABLE,80M	4382.65	5390.66
213-10-003	 213 – Części zapasowe (standardowe)	2208.00	2715.84
000-14503-001	LINKPRO SERVICE TOOL	1007.40	1239.10

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	384.10	472.44
AA000223	 Mocowanie anteny Navico 1810 VHF, wytrzymały nylon, Quickfit z 5 m (16 stóp) kablem	165.60	203.69
AA000224	 Mocowanie anteny Navico 1815 VHF, stal nierdzewna, Quickfit z 5 m (16 stóp) kablem	335.80	413.03
AA000400	 Kabel przedłużający VHF, 5 m (16 stóp)	133.40	164.08
BGH301035	 B&G kabel SimNet 0,35m (RA-RA)	165.60	203.69

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH231021	 H3000 – Maskownica wskaźnika analogowego (czarna)	128.80	158.42
BGH234017	 H3000 – Oslona przeciwsłoneczna (wskaźnik analogowy)	82.80	101.84

Pełna wersja

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH140001	 Deckman C-MAP USB	6113.40	7519.48
BGH140010	 Deckman – Rozszerzenie + 1 krok wersji	2327.50	2862.83